

*
*
*
MILTER-CUT HORIZONTAL BAND SAWS

C-330NC *

*
SH-330ER

*
MH-330ER



SH-330ER

Specification:

Model		SH-330ER MH-330ER		
Capacity	Angle	90°	30°	
	Round	330 mm (13")	220 mm (8.7")	
	Square	270 mm (10.6")	220 mm (8.7")	
	Rectangular	270 x 460 mm (10.6" x 18")	220 x 220 mm (8.7" x 8.7")	
Saw Blade	Speed	50 HZ	19, 30, 42, 63 m/min (62, 98, 138, 206 fpm)	
		60 HZ	23, 36, 51, 76 m/min (75, 117, 166, 247 fpm)	
	Size	4150L x 27W x 0.9T mm (163" x 1.06" x 0.035")		
Motor Output	Saw Blade	2 HP (1.5 kw)		
	Hydraulic	0.5 HP (0.375 kw) (for SH only)		
	Coolant	0.125 HP (0.1 kw)		
Hydraulic tank		8ℓ (2 gal.) (for SH only)		
Coolant Tank		30ℓ (7.8 gal.)		
Milter Cut		90° ~ 30°		
Weight	Net	MH: 600 kgs (1320 lbs.) SH: 640 kgs (1408 lbs.)		
	Gross	MH: 800 kgs (1760 lbs.) SH: 840 kgs (1848 lbs.)		
Height of Work Bed		820 mm (32")		
Floor Space		2100 x 1650 x 1400 mm (83" x 65" x 55")		
Shipping Space	SH	2250 x 1070 x 1680 mm (88.5" x 42" x 66")		
	MH	2140 x 1070 x 1680 mm (84" x 42" x 66")		
Description	<input type="radio"/> Standard	<input type="checkbox"/> Option	SH-330ER	MH-330ER
Swiveling angle range			90° ~ 30° (forward)	90° ~ 30° (forward)
Powered blade brush	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>
Integrated coolant system	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>
Flushing hose	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>
Adjustable work stop	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>
Tungsten carbide blade guide	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>
Knee type control box	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>
Built-in hydraulic unit	<input type="radio"/>		<input type="radio"/>	...
Quick cam-lock vise fixture	...		<input type="radio"/>	<input type="radio"/>
Hydraulic movable vice	<input type="radio"/>		<input type="radio"/>	...
Stock stand	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Roller table	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Stepless variable speed device	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>

*Design and specifications are subject to change without notice and obligation.

Specification:

Model		C-330NC	
Capacity	Angle	90°	45°
	Round	330 mm (13")	290 mm (11.5")
	Square	280 mm (11")	265 mm (10.5")
	Rectangular	280H x 450W x mm (11" x 17.7")	265H x 265W mm (10.5" x 10.5")
Saw Blade	Speed	15 - 100 m/min (50 ` 330 fpm)	
	Size	4150L x 27W x 0.9T mm (163" x 1.06" x 0.035")	
Motor Output	Saw Blade	3 HP (2.25 kw)	
	Hydraulic	1 HP (0.75 kw)	
	Coolant	0.125 HP (0.1 kw)	
Coolant Tank		30 ℓ (7.8 gal.)	
Milter Cut		90° ~ 45°	
Weight	Net	1,500 kgs (3,300 lbs.)	
	Gross	1,700 kgs (3.745 lbs.)	
Height of Work Bed		710 mms (28")	
Floor Space		1,960L x 1,900W x 1,420H mm (77.2" x 75" x 56")	
Shipping Space		2,210L x 3,000W x 1,520H mm (83.5" x 118" x 60")	

*Design and specifications are subject to change without notice and obligation.